2006 CABIN SERIES STANDARD FEATURES

FERIOR

1/2"sheetrock behind paneling on sidewalls & end walls
5/8"sheetrock behind paneling on ceilings throughout
Interior rustic cabin panel and trim overlay
Traditional oak laminate flooring throughout - except bath
& loft stairway and loft area
Airy cathedral ceilings throughout
Residential style doors with heavy duty matching hardware
Custom drapery package with mini blinds on each window
Designer cabin series chandeller
46x40 emergency egress windows in all bedrooms
Full width wardrobe with sliding doors in bedroom with single
drawer below
Black can lights
Sliding door for closet (rustic birch inserts)

KITCHEN AND BATH

Rustic Lawson or Cherry Universal printed cabinet color Upgrade raised panel cabinet doors, adjustable shelves, concealed hinges, pliable bumpers & dual metal drawer guides Residential frameless cabinet system crafted from stout %" lumber

All overhead cabinetry capped with crown molding
Igner cabin series door and drawer handles throughout
I metal roller drawer guides

Ali overhead cabinets have adjustable shelving

Laminate kitchen & bath countertops & 4" laminate backsplash

Choice of two high grade Congoleum® Legacy lino in bath

G. E. 30" black gas range per model

G. E. 18 CF black DD FF refrigerator (per model)
30" black range hood with exhaust fan and light (per model)
Choice of eleven high pressure laminate countertop colors in the latest designs

Satin single lever kitchen faucet with sprayer Extra large black kitchen sink

GFI protected receptacle in kitchen and bathroom Fiberglass one piece tub/shower combination (per model)

Tub drape and valance

White porcelain drop in lavy Satin single lever lavy faucet

Satin single lever tub diverter with shower head

Satin towel bar and tissue holder

Obscure glass window in bathroom with vent fan

Mirror over lavy with 18" brushed chrome light strip (per plan)

Elongated commode

Tip toe tub stop

Insulation around shower diverter for noise reduction

CONVENIENCE, COMFORT AND SAFETY

Hot and cold water shut-off valves throughout
Outside access water heater door
Smoke detector
Fire extinguisher
20-gallon electric water heater
Easy touch rocker switches throughout
Abundant storage throughout park home
U/L approved electrical devices w/ copper wiring
PEX water lines with low point drain
Insulated water supply inlet

50, amp exterior main panel service
40,000 BTU propane furnace with auto ignition
Black iron gas pipe extended to front hitch end
Aluminum heat ducting with coordinating floor registers
Full 10" chassis construction with three new axles and tires
Detachable hitch from main chassis
Transverse 2"x6" #2 or better fir floor joists 16" O.C.
Woven simplex underbelly material
%" O.S.B. roof deaking

"" O.S.B. roof decking Full height 7'6" sidewall height

Steel strapping between roof/sidewall & between floor/sidewall 2x4 sidewall construction 16" on center with

2x4 top and bottom plates

Sturdy 5/8" O.S.B. floor decking Telephone receptacle in living room

TV jack in living room , Bedrooms

Fan prep in living room for ceiling fan and light-kit-

R-14 fiberglass floor insulation
R-11 Kraft backed sidewall insulation
R-33 Cellulose blown attic insulation
RPTIA approved
Built to ANSI 119.5 code

EXTERIOR

Vertical Horizontal Hardiboard Siding
Engineered truss ratters
Choice of colored metal roof
9-Lite rear door
Exterior GFI protected receptacle on patio side near SGD
Black porch lights at both front and rear entry
12" front and rear overhang, 8" side eaves
Sand colored "Low E" vinyl windows
Bronze Tone Framed dual glazed SGD (Optional Sand colored vinyl frame)
80# roof truss system -







GE Appliances



STANDARD FEATURES DESTATE

INTERIOR

- I Tape & Texture window sills with round corners
 I's 'High strength sheetrock walls & ceiling throughout with T' & T knock down finish
 Swiss coffee satin interior paint throughout
 Airy cathedral ceilings throughout
 Residential style satin passage & pocket doors with heavy duty hardware

- duty hardware
- Custom drapery package with mini blinds throughout Name brand 25 oz. carpeting with 7/16° rebond pad
- 46 x 42 emergency egress window in bedroom Full width wardrobe sliding doors & single drawer
- Pocket door entrance into bedroom (per plan)
- 100 series light package
- Rounded corners on any exposed interior wall end & pocket doors

EXIERIOR

- Sinart panel exterior slding
 Three windowed front elevation with optional angled bay (per plan)
- Engineered truss rafters
- 30 year architectural fiberglass shingles
- 9-Lite exterior rear door
- Exterior GFI protected receptacle on patio side near entrance door
- Porch lights at front & rear entry
- Front 12" eave

 Low 'E" vinyl framed dual glazed windows
- · White framed dual glazed sliding glass door

KITCHEN & BATH

- Attractive hardwood cabinet doors, flat panel, open frame, concealed hinges, pliable bumpers & dual metal drawer guides
 Residential frameless cabinet system crafted from stout ¾"
- lumber
- All overhead cabinetry has crown molding All base & overhead cabinets are back paneled and have adjustable shelves
- Highgrade Beauflor ® vinyl flooring in kitchen & bath
- G. E 30" gas range 30" range hood with exhaust fan & light
- G. E. 16 C,F double door frost free refrigerator
- Satin single lever kitchen faucet
- Kitchen & bath countertops have 4" laminate backsplash

KII'CHEN & BATH CONTINUED

- Extra large white composite kitchen sink GFI protected receptacle in kitchen & bath Fiberglass one piece tub/shower with valance
- Satin single lever lavy faucet & tub diverter
- Satin towel bar & tissue holder
- Mirror over lavy with 18° satin light strip Porcelain drop in lavy
- Elongated commode
 Tip toe tub stopper
- Bath exhaust fan
- Insulation around shower diverter for noise reduction

convenience, comfort & safety

- Hot & cold water shut-off valves throughout
- Outside access water heater door
- Smoke detector
- Fire extinguisher
- 20 gallon electric water heater
- Rocker switches throughout
- Abundant storage throughout
- U/L approved electrical devices & copper whing throughout
- PEX water lines with low point drain
- 50 or 100 amp exterior main panel service
- 40,000 BTU propane furnace with auto ignition
- Black iron gas pipe extended to hitch end
- (hitch detachable) Aluminum heat ducting with coordinating floor
- registers
- Full 10" chassis construction with three axles
- Transverse 2" x 6" #2 or better fit floor joists 16" O C 8' x 12' high density floor decking
- Woven mobile flex underbelly material
- Full height 7'6" sidewall with over 9' center peak height
- Steel strapping between roof & sidewall and floor & sidewall
- 2" x 4" sidewall construction 16° O C with 2" x 4" top & bottom plates
- Telephone & TV receptacles in living room
- Ran prep in living room
 R. 7 floor, R-11 walls, R-11 blown attic insulation
 RPTIA approved & built to ANSI 119 5 code



This state of the art factory is one of the largest of its kind and was founded on the premise that customer satisfaction is paramount to all else Our builder employs the use of cutting edge technology, quality materials, skilled employees, and over 200 years of combined industry experience to produce the level of quality, innovation and VALUE found in all of our homes See for yourself with a free factory touri Thank you for Thank you for choosing Park Models Directl www ParkModelsDirect com

Park Model's Direct "Factory Direct Value

1635 S. 43rd Avenue . Phoentx, AZ, 85009 Volce: 1-800-367-0455 • Fax: 602-269-0913 www ParkModelsDirect com

Important: Due to our policy of consistent improvement, all information in our prochares may vary from actual home. The right is reserved to make changes at any time, without notice or obligation, in colors, materials, specifications, processes, and models. All dimensions and square footage calculations are nominal and approximate figures, Please check with your sales person for specific and current information.

